

Updated: 11/1/2021

Document	Nomenclature	Rev	Applicable PSDs
<a href="#">012W6100</a>	Materials, Part and Process Substitution and Equivalents	DWG 0001 - N DWG 0002 - C	
<a href="#">012W6101</a>	Liaison Engineering Subsitiutions	DWG 001 - F DWG 002 - C DWG 003 - B	
<a href="#">65-88700</a>	Material Part and Process Substitutions and Equivalents	SHT 1 - AC SHT 5 - AD	
<a href="#">787N9-2116</a>	787 Program Substitution and Equivalents for Materials, Processes, and Mechanical Standard Parts	AY	
<a href="#">BAC001PREF</a>	Boeing Process Specification Preface	W	
<a href="#">BAC1501-100141</a>	Tube, Square and Rectangular, Aluminum and Steel	New	
<a href="#">BAC1503-100396</a>	Extrusion	New	
<a href="#">BAC1503-100717</a>	Extrusion	None	
<a href="#">BAC1505-101712</a>	Tee, Standard, Aluminum, Extruded	New	
<a href="#">BAC1505-101713</a>	Tee, Standard, Aluminum, Extruded	New	
<a href="#">BAC1505-29222</a>	Extrusion	New	
<a href="#">BAC1508-147</a>	TT Section Misc. - Extruded	New	
<a href="#">BAC1509-100340</a>	Channel - Extruded	New	
<a href="#">BAC1510-1268</a>	Channel - Extruded	New	
<a href="#">BAC1510-1339</a>	Extrusion	New	
<a href="#">BAC1514-1623</a>	Angle Misc Extruded	New	
<a href="#">BAC1514-1628</a>	Angle-Extruded	New	
<a href="#">BAC1514-2067</a>	Extrusion	New	
<a href="#">BAC1514-3144</a>	Angle, Misc, Aluminum, Extruded	New	
<a href="#">BAC1514-451</a>	Angle Misc Extruded	New	
<a href="#">BAC1514-831</a>	Angle Unequal Leg Extruded	New	
<a href="#">BAC1517-1408</a>	Zee Extruded	New	
<a href="#">BAC1520</a>	Misc Shape, Aluminum Extruded	AJ	
<a href="#">BAC1530-47</a>	Section-Rubber Fabric Covered	A	
<a href="#">BAC1534</a>	Shim, Laminated, Al Alloy, Cres and Titanium Surface Bonded	N	
<a href="#">BAC1536-81</a>	J, Aluminum, Extruded	New	
<a href="#">BAC1536-83</a>	J, Aluminum, Extruded	New	
<a href="#">BAC3113</a>	Extrusion, Hinge Half	D	

<a href="#"><u>BAC5000</u></a>	Sealing, General	AW	6-281 6-285 6-286 6-315
<a href="#"><u>BAC5001-1</u></a>	Cut off, End Forming, Handling, and Marking of Tubes and Ducts	H	6-23
<a href="#"><u>BAC5004</u></a>	Installation of Permanent Fasteners	P	6-130 6-139
<a href="#"><u>BAC5004-1</u></a>	Solid Rivet Installation	U	6-88 6-89
<a href="#"><u>BAC5004-2</u></a>	Permanent Straight Shank Fastener Installation	AL	6-82 6-163
<a href="#"><u>BAC5004-3</u></a>	Blind Fastener Installation	J	6-20 6-21 6-22
<a href="#"><u>BAC5008</u></a>	Application of Lubricants	V	1-11
<a href="#"><u>BAC5009</u></a>	Bolt and Nut Installation	AF	6-154 6-179 6-186
<a href="#"><u>BAC5010</u></a>	Application of Adhesives	AB	
<a href="#"><u>BAC5018</u></a>	Installation of Safetying Devices	N	
<a href="#"><u>BAC5019</u></a>	Chromic Acid Anodizing	W	6-167
<a href="#"><u>BAC5022</u></a>	Sulfuric Acid Anodic Films	J	6-20 6-21
<a href="#"><u>BAC5032</u></a>	Grinding of Chromium Plate	G	
<a href="#"><u>BAC5034</u></a>	Temporary Protection of Production Materials, Parts, and Assemblies	P	6-134
<a href="#"><u>BAC5034-1</u></a>	Temporary Protection of Production Materials, Parts, and Assemblies with Coatings	K	1-1
<a href="#"><u>BAC5034-2</u></a>	Temporary Protection of Production Materials, Parts and Assemblies with Nonadherent Film and Sheet Coverings	G	6-42
<a href="#"><u>BAC5034-3</u></a>	Temporary Protection of Production Materials, Parts and Assemblies with Preservatives	D	
<a href="#"><u>BAC5034-4</u></a>	Temporary Protection of Production Materials, Parts, and Assemblies with Pressure Sensitive Tape	N	
<a href="#"><u>BAC5047</u></a>	Fluid Tight Fastener Installation	M	6-107 6-109

<a href="#"><u>BAC5047-1</u></a>	Fluid Tight Fastener Installation	F	6-25 6-36 6-45 6-46
<a href="#"><u>BAC5047-2</u></a>	Fluid Tight Fastener Installation in Fatigue Rated Structure	G	6-21 6-51 6-93 6-100 6-103 6-116
<a href="#"><u>BAC5063</u></a>	Fastener Installation in Composite Structures	T	6-120 6-121
<a href="#"><u>BAC5063-1</u></a>	Solid Rivet Installation in Composite Structures	E	6-4 6-5
<a href="#"><u>BAC5063-2</u></a>	Permanent Straight Shank Fastener Installation In Composite Structures	F	1-1 6-16 6-44 6-46 6-49 6-52
<a href="#"><u>BAC5063-7</u></a>	Sleeved Bolt Installation in Composite Structures	L	6-27 6-31
<a href="#"><u>BAC5064</u></a>	Installation of Inserts, Panel Fasteners and Related Hardware	F	1-1 1-2 1-4 6-49 6-52 6-53 6-54
<a href="#"><u>BAC5114</u></a>	Enhanced Process Control for CNC Machining	QPL - NEW D	
<a href="#"><u>BAC5117</u></a>	Electrical Bonding	AG	
<a href="#"><u>BAC5117-1</u></a>	Electrical Bonding of Receptacles	H	6-7 6-8 6-9
<a href="#"><u>BAC5117-18</u></a>	Electrical Bonding Through Fastener - Clearance Fit Hole	C	6-3 6-4
<a href="#"><u>BAC5117-2</u></a>	BACS53B or M83454/4 Preinstalled Ground Stud Installation	J	6-3 6-4
<a href="#"><u>BAC5117-3</u></a>	Standard Preinstalled Ground Stud Installation	F	6-10 6-12
<a href="#"><u>BAC5117-4</u></a>	Direct Ground Stud Installation	J	6-15
<a href="#"><u>BAC5117-6</u></a>	Electrical Faying Surface Bonds	M	

<a href="#">BAC5117-7</a>	Driven Rivet Electrical Bond	G	6-5 6-6
<a href="#">BAC5300</a>	Forming, Straightening, and Fitting Metal Parts	N	
<a href="#">BAC5300-1</a>	Surface and Edge Integrity of Metal Parts	K	6-1 6-6
<a href="#">BAC5300-2</a>	Metal Part Forming, Straightening, and Fitting	K	
<a href="#">BAC5306</a>	Marking of Panels and Direct Silkscreening	M	
<a href="#">BAC5307</a>	Part Marking	AC	1-11
<a href="#">BAC5308</a>	Application of Stencil and Insignia Markings	J	1-5
<a href="#">BAC5312</a>	Application of Plastic Film Markers	V	1-9 6-51
<a href="#">BAC5316</a>	Manufacture of Markers and Placards	V	
<a href="#">BAC5321</a>	Injection Molding of Thermoplastic Parts	QPL - E D	
<a href="#">BAC5325</a>	Application of Nonchromated Primer on Composite, Plastic, Titanium and Cres Surfaces	P	6-28
<a href="#">BAC5338</a>	Acid Etch and Electromechanical Etch Marking	H	
<a href="#">BAC5361</a>	Sealing of Integral Fuel Tank Structure for Electromagnetic	J	1-4 6-44
<a href="#">BAC5423</a>	Penetrant Methods of Inspection	Y	6-155
<a href="#">BAC5424</a>	Magnetic Particle Inspection	U	6-40
<a href="#">BAC5430</a>	Fabrication and Installation of Resin Bonded Laminated Shims and Solid Fillers	N	6-29 6-30
<a href="#">BAC5435</a>	Bearing Installation and Retention	AA	6-74 6-75
<a href="#">BAC5436</a>	Etch Inspection of Ground or Machined Steel Parts	J	
<a href="#">BAC5439</a>	Ultrasonic Inspection <b>SUPERSEDED BY BSS7055</b>	J	6-23
<a href="#">BAC5440</a>	Hole Preparation, Machining, and Grinding of Steels	L	
<a href="#">BAC5481</a>	Processing of Fluoropolymers	D	6-2
<a href="#">BAC5492</a>	Machining and Cutting Titanium	P	

<a href="#"><u>BAC5602</u></a>	Heat Treatment of Aluminum Alloys	AH	
<a href="#"><u>BAC5613</u></a>	Heat Treatment of Titanium and Titanium Alloys	V	QPL - NEW 6-59 6-58
<a href="#"><u>BAC5617</u></a>	Heat Treatment of Alloy Steels	W	
<a href="#"><u>BAC5619</u></a>	Heat Treatment of Corrosion Resistant Steel	K	
<a href="#"><u>BAC5621</u></a>	Temperature Control for Processing of Materials	K	
<a href="#"><u>BAC5625</u></a>	Surface Treatments for Ferrous Alloys	F	
<a href="#"><u>BAC5626</u></a>	Colored Chemical Conversion Coatings for Aluminum	C	
<a href="#"><u>BAC5632</u></a>	Boric Acid - Sulfuric Acid Anodizing	E	1-1
<a href="#"><u>BAC5637</u></a>	Zinc-Nickel Alloy Plating	F	6-16 6-17
<a href="#"><u>BAC5648</u></a>	Machining of Copper Beryllium Alloys	ORG	6-1
<a href="#"><u>BAC5650</u></a>	Hardness Testing	E	
<a href="#"><u>BAC5651</u></a>	Eddy Current Electrical Conductivity Inspection	D	
<a href="#"><u>BAC5652</u></a>	Inspection of Castings	B	
<a href="#"><u>BAC5665</u></a>	Application of Sol-Gel Conversion Coatings on Corrosion Resistant Alloys	D	
<a href="#"><u>BAC5701</u></a>	Cadmium Plating	P	
<a href="#"><u>BAC5709</u></a>	Hard Chromium Plating	W	QPL - B 6-67
<a href="#"><u>BAC5710</u></a>	Application of Special Purpose Coatings	AD	
<a href="#"><u>BAC5716</u></a>	Preparation of Colored Anodic Films	H	
<a href="#"><u>BAC5719</u></a>	Chemical Conversion Coatings for Aluminum and Aluminum Alloys	AB	1-5 1-11 1-12
<a href="#"><u>BAC5725</u></a>	Stripping Organic Materials	J	1-8
<a href="#"><u>BAC5730</u></a>	Shot Peening	T	
<a href="#"><u>BAC5730-1</u></a>	Shot Peen Forming	D	6-12
<a href="#"><u>BAC5736</u></a>	Application of Chemical and Solvent Resistant Finishes	AC	1-10 1-11 1-12 (REV A)
<a href="#"><u>BAC5744</u></a>	Manual Cleaning (Cold Alkaline, Solvent Emulsion and Foam Cleaners)	J	
<a href="#"><u>BAC5748</u></a>	Abrasive Cleaning, Deburring, and Finishing	V	
<a href="#"><u>BAC5749</u></a>	Alkaline Cleaning	Y	
<a href="#"><u>BAC5750</u></a>	Solvent Cleaning	T	1-9 1-12 1-13 REV A 1-14

<a href="#"><u>BAC5751</u></a>	Cleaning, Descaling and Surface Preparation of Ferrous Alloys	M	6-69
<a href="#"><u>BAC5753</u></a>	Cleaning, Descaling and Surface Preparation of Titanium and Titanium Alloys	AA	
<a href="#"><u>BAC5755</u></a>	Application of Interior Decorative Finishes	AG	
<a href="#"><u>BAC5763</u></a>	Emulsion Cleaning and Aqueous Degreasing	L	6-47 6-54 6-59 6-65 6-68 6-69 6-73 6-76
<a href="#"><u>BAC5765</u></a>	Cleaning and Deoxidizing Aluminum Alloys	Y	6-229 6-235 6-236 6-238 6-239
<a href="#"><u>BAC5771</u></a>	Stripping Inorganic Finishes	J	6-80 6-81 6-82
<a href="#"><u>BAC5772</u></a>	Chemical Milling Aluminum Alloys	W QPL Rev AA	6-64 6-66 6-74
<a href="#"><u>BAC5774</u></a>	Alkyd Primers, Application of	J	
<a href="#"><u>BAC5786</u></a>	Etch Cleaning of Aluminum Alloys	N	
<a href="#"><u>BAC5793</u></a>	Application of Corrosion Resistant Finish for Integral Fuel Tanks	AB	6-122 6-123
<a href="#"><u>BAC5797</u></a>	Coating Systems, For Corrosion Prone Areas, Application Of	G	
<a href="#"><u>BAC5801</u></a>	The Application of Pressure Sensitive Tape	G	6-17
<a href="#"><u>BAC5804</u></a>	Low Hydrogen Embrittlement Cadmium-Titanium Alloy Plating	AH QPL - NEW	
<a href="#"><u>BAC5810</u></a>	Phosphating	M	
<a href="#"><u>BAC5811</u></a>	Application of Bonded Solid Film Lubricants	W QPL - B	
<a href="#"><u>BAC5845</u></a>	Application of Polyurethane Topcoat	V	

<a href="#"><u>BAC5849</u></a>	Brush Plating, Anodizing and Electrochemical Etching	P	6-21
<a href="#"><u>BAC5861</u></a>	Application of Phosphate-Fluoride Coating to Titanium Alloys	E	6-13 6-18
<a href="#"><u>BAC5877</u></a>	Application of Organic Corrosion Inhibiting Compounds	L	6-17 6-18
<a href="#"><u>BAC5882</u></a>	Application of Urethane Compativle Primer	P	1-8
<a href="#"><u>BAC5946</u></a>	Temper Inspection of Aluminum Alloys	AB	
<a href="#"><u>BAC5951</u></a>	Glass Bead Peening	E	
<a href="#"><u>BAC5963</u></a>	Eddy Current Inspection for Discontinuities	D	
<a href="#"><u>BAC5973</u></a>	Sleeve Cold Working Of Holes In Aluminum Structure	G	6-28 6-33
<a href="#"><u>BACB10BW</u></a>	Bearing, Ball, Airframe, Single Row, Extra Light Duty, Torquetube	AC	
<a href="#"><u>BACB10ES</u></a>	Bearing, Spherical, Narrow Ring, Self Lubricated Liner, Clamped Installation	AA	
<a href="#"><u>BACB10FA</u></a>	Bearing, Spherical, Wide Ring, Self Lubricated Liner, Sealed, Clamped Installation	Y	
<a href="#"><u>BACB10FB</u></a>	Bearing, Spherical, Narrow Ring, Self Lubricated Liner, Sealed, Clamped Installation	AN	
<a href="#"><u>BACB10FE</u></a>	Bearing, Spherical, Self Lubricated Liner, Wide Ring, Sealed, Grooved	P	
<a href="#"><u>BACB10FP</u></a>	Bearing, Ball, Airframe, Single Row, Precision Grade, Internally Self-Aligning, Light and Extra Light Duty, Cres	U	
<a href="#"><u>BACB10FR</u></a>	Bearing, Ball, Airframe, Single Row, Precision Grade, Extra Light Duty, Torque Tube, Corrosion Resistant	AA	
<a href="#"><u>BACB10FS</u></a>	Bearing, Ball, Airframe, Single Row, Precision Grade, Intermediate Duty, Corrosion Resistant	AD	
<a href="#"><u>BACB10FU</u></a>	Bearing, Ball, Single Row, Precision Grade, Torque Tube, Non-Self-Aligning, Corrosion Resistant	AB	
<a href="#"><u>BACB10FV</u></a>	Bearing, Ball, Airframe, Single Row, Externally Self-Aligning, Precision Grade, Corrosion Resistant, Extra Light Duty	AA	
<a href="#"><u>BACB10FY</u></a>	Bearing, Ball, Double Row, Precision Grade, Airframe, Non-Self-Aligning, Extra Wide, Intermediate Duty, Corrosion Resistant	W	

<a href="#"><u>BACB10GD</u></a>	Bearing, Spherical, Narrow Ring, Self Lubricated Liner, Unclamped Installation	K	
<a href="#"><u>BACB10HY</u></a>	Bearing, Roller, Double Row, Self-Aligning, Swageable	E	
<a href="#"><u>BACB10JV</u></a>	Bearing, Spherical, Narrow Ring, Copper-Nickel_Tin Ball	D	
<a href="#"><u>BACB28AA</u></a>	Bushing, Flanged, Press Fit, Undersize Bore, Oversize Flange	R	
<a href="#"><u>BACB28AK</u></a>	Bushing, Plain (For Clamped Installation)	R	
<a href="#"><u>BACB28AP</u></a>	Bushing, Flanged, Undersize Bore, Nominal and Oversize OD (For Clamped Installation)	W	
<a href="#"><u>BACB28AT</u></a>	Bushing, Flanged, Undersize Bore, Nominal and Oversize OD (For Unclamped Installation)	Y	
<a href="#"><u>BACB28AU</u></a>	Bushing, Oversize Flange, Undersize Bore (For Unclamped Installation)	AA	
<a href="#"><u>BACB28AV</u></a>	Bushing, Oversize Flange, Lined (For Unclamped Installation)	M	
<a href="#"><u>BACB28AW</u></a>	Bushing, Plain, Undersize Bore (For Unclamped Nested Installation)	T	
<a href="#"><u>BACB28AX</u></a>	Bushing, Oversize Flange, Undersize Bore (For Clamped Installation)	R	
<a href="#"><u>BACB28AY</u></a>	Bushing, Flanged, Lined, (For Unclamped Installation)	V	
<a href="#"><u>BACB28AZ</u></a>	Bushing, Flanged, Nominal and Oversize Flange Thickness, Kined Undersize Bore, Nominal and Oversize OD (For Unclamped Installation)	R	
<a href="#"><u>BACB28BA</u></a>	Bushing, Plain, Variable Wall Thickness	G	
<a href="#"><u>BACB28T</u></a>	Bushing, Flanged, Steel	R	
<a href="#"><u>BACB28W</u></a>	Bushing, Flanged, Press Fit, Undersized Bore	AR	
<a href="#"><u>BACB28X</u></a>	Bushing, Flanged, Nominal Size Bore	AT	
<a href="#"><u>BACB28Y</u></a>	Bushing, Plain, Nominal Size Bore	AD	
<a href="#"><u>BACB30FN</u></a>	Bolt, 100 Deg Shear Head, Hex Drive, 95 KSI Shear	BG	
<a href="#"><u>BACB30HC</u></a>	Bolt, Lock, Tension, Protruding Head, Steel, CT Shank (Stump Type, Hammer Driven)	G	
<a href="#"><u>BACB30LE</u></a>	Bolt, 12 Point Head, 200 KSI Min Tensile, A286 Cres (Nominal and Oversize)	BE	



<a href="#"><u>BACB30LJ</u></a>	Bolt, Hex Head, 95 KSI Shear, Short Thread, A286, Nonlocking and Self-Locking (Nominal and Oversize)	BE	
<a href="#"><u>BACB30LK</u></a>	Bolt, Pan Head, Cross Recess, Short Thread, Close Tol, A286 Cres (Nominal and Oversize)	AG	
<a href="#"><u>BACB30LT</u></a>	Bolt, 12 Point Head, Short Thread, Close Tol, A286 Cres, 110 KSI Min Shear (Nominal and Oversize)	AJ	
<a href="#"><u>BACB30MB</u></a>	Bolt, Protruding Head, Hex Drive, Tension, 160 KSI FTU, 95 KSI FSU	AP	
<a href="#"><u>BACB30MR</u></a>	Bolt, 12 Point Head, 160 KSI Min Tensile, 95 KSI Min Shear, 6A-4V Titanium (Nominal and Oversize)	BK	
<a href="#"><u>BACB30NM</u></a>	Bolt, Hex head, 160 KSI Min Tensile, Long Thread, 6AL-4V Titanium, Nonlocking and Self-Locking (Nominal and Oversize)	BD	
<a href="#"><u>BACB30NR</u></a>	Bolt, Hex Head, 95 KSI Shear, Short Thread, 6AL-4V Titanium (Nominal and Oversized)	AU	
<a href="#"><u>BACB30NX</u></a>	Bolt, Protruding Head, Hex Drive, Tension, 6AL-4V Titanium (Nominal and Oversize)	BH	
<a href="#"><u>BACB30NY</u></a>	Bolt, 100 Deg Tension Head, Hex Drive, 160 KSI Min Tensile, 6AL-4V Titanium (Nominal and Oversize)	BL	
<a href="#"><u>BACB30PW</u></a>	Bolt, Hex Head, Shoulder, A286 Cres, Long Thread, Self-Locking and Nonlocking	AG	
<a href="#"><u>BACB30U</u></a>	Bolt, 82 Deg CSK head (1/64 oversized) ( ok to procure per standard)	NEW	
<a href="#"><u>BACB30US</u></a>	Bolt, 12 Point Head, 220 KSI Min Tensile, 125 KSI Min Shear, Nickel Alloy 718 (Nominal and Oversize)	BH	
<a href="#"><u>BACB30VF</u></a>	Bolt, 100 Deg Reduced Head, Cross Recess, 95 KSI Shear, Short Thread, 6AL-4V Titanium (Nominal and Oversize)	Y	
<a href="#"><u>BACB30VN</u></a>	Bolt, Lock, Shear, Protruding Head, 95 KSI Shear, Titanium, Lightweight	V	
<a href="#"><u>BACB30VT</u></a>	Bolt, Protruding Head, Hex Drive, 95 KSI Shear, 6SL-4V Titanium, Lightweight (Nominal and Oversize)	AR	
<a href="#"><u>BACB30Y</u></a>	Bolt, Csk Head (1/64 Oversize)	NEW	
<a href="#"><u>BACB30YK</u></a>	Bolt, Protruding Tension Head, Hex Drive, 125 KSI Shear, Nickel Alloy 718 (Nominal And Oversize)	R	
<a href="#"><u>BACB30YM</u></a>	Bolt, 100 Deg Tension Head, Hex Drive, 125 KSI Shear, Nickel Alloy 718 (Nominal and Oversize)	N	

<a href="#"><u>BACB30YN</u></a>	Bolt, 100 Deg Reduced Shar Head, Hex Drive, 125 KSI Shear, Nickel Alloy 718 (Nominal and Oversize)	J	
<a href="#"><u>BACB30YP</u></a>	Bolt, Close Tolerance, 100 Deg Reduced Shear Done Head, Hex Drive, 95 KSI Shear, 6AL-4V Titanium, Lightweight	AA	
<a href="#"><u>BACB30ZB</u></a>	Bolt, Hex Head, Short Thread, Close Tol, Alloy Steel	E	
<a href="#"><u>BACC30AB</u></a>	Collar, Preload, Shear A286 Cres, 450 F and 900 F (Nominal and Oversize)	AF	
<a href="#"><u>BACC30BH</u></a>	Collar, Preload, Tension, Reduced Hex, Cres	AC	
<a href="#"><u>BACC30BK</u></a>	Collar, Shear, Lockbolt, Reversible, TI Pin, Lightweight	J	
<a href="#"><u>BACC30BL</u></a>	Collar, Preload, Shear, 7075-T73 Aluminum Alloy (For Lightweight Hex Drive Shear Bolts)	L	
<a href="#"><u>BACC30BQ</u></a>	Collar Assembly, Preload, Shear, 7075-T73 Aluminum, Cres Washer, Self-Aligning (For Lightweight Hex-Drive Shear Bolts)	M	
<a href="#"><u>BACC30BS</u></a>	Collar, Reduced Hex, Preload, Shear, Cres (For Lightweight Hex Drive Bolts, Standard or .0156 Oversize)	V	
<a href="#"><u>BACC30CP</u></a>	Collar, Preload, Tension, 17-4PH Corrosion Resistant Steel (Nominal and Oversize)	L	
<a href="#"><u>BACC30M</u></a>	Collar, Preload, Shear, 2024-T6 Aluminum Alloy (For Hex Drive Shear Bolts, Standard or .0156 Oversize)	AF	
<a href="#"><u>BACC30X</u></a>	Collar, Preload, Tension 303 Se Cres	V	
<a href="#"><u>BACC50AP</u></a>	Cover, Seal, Fastener, Anti-Sparking, Molded, Polysulfide	P	
<a href="#"><u>BACD2010 CIR 1</u></a>	Cutouts, Holes for Mounting, Circles with One Slot/Hole/Nub	D	
<a href="#"><u>BACD2010 CIR 2</u></a>	Cutouts, Holes for Mounting, Circles with Two Slots/Holes/Nubs	ORG	
<a href="#"><u>BACD2010 SQUAR</u></a>	Cutouts, Holes for Mounting, Squares	ORG	
<a href="#"><u>BACD2023</u></a>	Serrations, Flat, Parallel	B	
<a href="#"><u>BACD2033</u></a>	Grooves, Cable-Machined, Standard Dimension for	B	
<a href="#"><u>BACD2074</u></a>	Fastener Codes and Symbols - Design Detail	BG	
<a href="#"><u>BACD2079</u></a>	Helical Coil Insert Hole Detail	D	
<a href="#"><u>BACD2086</u></a>	Threads, Decreased Major Diameter, Contolled Radius Root	ORG	

<a href="#"><u>BACD2096</u></a>	Duct Ends, Beaded Plastic, Reduced Tolerance	B	
<a href="#"><u>BACD2097</u></a>	Surface Texture (U.S. Customary and Metric)	AA	
<a href="#"><u>BACF19F</u></a>	Fitting, Lubrication, Hydraulic, Surface Check, .250-28 Taper Threads, Steel	E	
<a href="#"><u>BACF3F</u></a>	Filler, Flat, Rectangular, Aluminum Alloy	AG	
<a href="#"><u>BACF3H</u></a>	Filler, Rectangular, Radiused Edge, Aluminum Alloy	H	
<a href="#"><u>BACG20Z</u></a>	Grommet, Caterpillar	AA	
<a href="#"><u>BACI12AE</u></a>	Insert, Screw Thread, Coarse and Fine, Screw-Locking, Helical Coil, Cres	H	
<a href="#"><u>BACN10GH</u></a>	Nut, Spacer Plate, Two Lug, Light Duty (Threads in Small End)	AA	
<a href="#"><u>BACN10HR</u></a>	Nut, Self-Locking, 12 Point, 220 KSI Tensile, Hight Reliability, 450 F and 900 F	BU	
<a href="#"><u>BACN10JA</u></a>	Nut, Plate, Self-Locking, One Lug, Floating, Low Height, 160 KSI, 450 F and 900 F	AJ	
<a href="#"><u>BACN10JB</u></a>	Nut, Plate, Self-Locking, One Lug, Floating, Low Height, 160 KSI, 450 F and 900 F	AE	
<a href="#"><u>BACN10JC</u></a>	Nut, Self-Locking, Hex, Low Height, 450 F and 900 F	BB	
<a href="#"><u>BACN10JD</u></a>	Nut, Castellated, HEX, 80 KSI, 125 KSI and 160 KSI, 450 Deg F and 900 Deg F	U	
<a href="#"><u>BACN10JN</u></a>	Nut, Plate, Self-Locking Two Lug, Floating, Plain Base, 450 F and 900 F	AE	
<a href="#"><u>BACN10JP</u></a>	Nut, Plate, Self-Locking, Miniature, Plain Base, 450 F and 900 F	AB	
<a href="#"><u>BACN10JR</u></a>	Nut, Plate, Self-Locking, Two Lug, Plain, Floating and CSK, 450 F and 900 F	AE	
<a href="#"><u>BACN10JS</u></a>	Nut, Plate, Self-Locking, Floating, Counterbored, One or Two Lug, 450F and 900F	AA	
<a href="#"><u>BACN10JT</u></a>	Nut, Plate, Self-Locking, Self-Aligning, 450F and 900F	T	
<a href="#"><u>BACN10JZ</u></a>	Nut, Plate, Self-Locking, Floating, Self-Sealing, Cap, 250 F, 350 F and 450 F	AH	
<a href="#"><u>BACN10KB</u></a>	Nut, Plate, Self-Locking, One Lug, Plain, Floating and Countersunk, 450 F and 900 F	AA	
<a href="#"><u>BACN10KE</u></a>	Nut, Plate, Self-Locking, Floating, 450 F and 900 F	AM	
<a href="#"><u>BACN10KH</u></a>	Nut, Plate, Self-Locking, One Lug, Floating, Side by Side Rivet Holes, 450 F and 900 F	M	

<a href="#"><u>BACN10TL</u></a>	Nut, Spacer Plate, Light Duty	Y	
<a href="#"><u>BACN10TM</u></a>	Nut, Spacer Plate, Three Lug, Light Duty (Threads in Small End)	T	
<a href="#"><u>BACN10YF</u></a>	Nut Plate, Self Locking, Deep C'Bore, Two Lug, Floating, Miniature, Narrow Base, 450F and 900F	N	
<a href="#"><u>BACN10YK</u></a>	Nut, Gang Channel, Self-Locking, Variable Cbore, Cres Removable Nut	AH	
<a href="#"><u>BACN10YR</u></a>	Nut, Self-Locking, Reduced Hex, Low Height, A286 Cres, 450F and 900F	R	
<a href="#"><u>BACN10YT</u></a>	Nut, Self-Locking, Hexagon, Counterbored, Cres	W	
<a href="#"><u>BACN10ZC</u></a>	Nut, Barrel, Floating, Self-Locking, A286 Cres or Nickel Alloy 718	L	
<a href="#"><u>BACN10ZV</u></a>	Nut, Self-Locking, Hexagon, Counterbored, Aluminum Alloy, Lightweight	G	
<a href="#"><u>BACN11BW</u></a>	Nut, Plate, Self-Locking, Floating, Spring Loaded, Controlled Weight, A286 Nut Element	C	
<a href="#"><u>BACN11CC</u></a>	Nut, Self-Locking, Hexagon, Counterbored, Nickel Alloy 718 (Nominal and Oversized)	A	
<a href="#"><u>BACN11F</u></a>	Nut, Replaceable Nut Plate Elements, Self-Locking, Counterbored, Extended Reusability, Cres, 450 F	M	
<a href="#"><u>BACN11G</u></a>	Nut, Plate, Self-Locking, Floating, Variable Counterbore, Cres, Replaceable Nut, One Lug, Two Lug, Corner 450 F and 900 F	V	
<a href="#"><u>BACN11N</u></a>	Nut, Self-Locking, Castellated, Hex, Low (80 KSI) and Hight (125 KSI) Height, A286 Cres	L	
<a href="#"><u>BACN11P</u></a>	Nut, Plate, Self-Locking, Floating, Spring Loaded, A286 Nut Element	K	
<a href="#"><u>BACN11U</u></a>	Nut, Jam, Drilled and Undrilled, Standard and Thin Height, A286	D	
<a href="#"><u>BACN11Z</u></a>	Nut, Self-Locking, 12 Point, 180 KSI Tensile, 450 F and 900 F	W	
<a href="#"><u>BACP18BC</u></a>	Pin, Cotter (Split)	D	
<a href="#"><u>BACP18BD</u></a>	Pin, Straight, Headed, Drilled, Shank	E	
<a href="#"><u>BACP20AX</u></a>	Plug, Permanent, Drill Passage	N	

<a href="#"><u>BACR10AJ</u></a>	Retainer, Nut, Two-Lug	H	
<a href="#"><u>BACR10AL</u></a>	Retainer, Floating Barrel Nut	M	
<a href="#"><u>BACR15AD</u></a>	Rivet, 100 Deg Head, Aluminum Alloy (.0312 Oversize Shank)	AL	
<a href="#"><u>BACR15BA</u></a>	Rivet, 100 Deg Precision Head, Close Tolerance Shank	BB	
<a href="#"><u>BACR15BB</u></a>	Rivet, Universal Head, Close Tolerance Shank	BB	
<a href="#"><u>BACR15DR</u></a>	Rivet, Blind Nonstructural (Pull Thru Type)	AJ	
<a href="#"><u>BACR15FP</u></a>	Rivet, Blind, 100 Deg Flush Head, Locked Stem, Self-Plugging	AC	
<a href="#"><u>BACR15FT</u></a>	Rivet, Modified Universal Head, Close Tolerance Shank	AL	
<a href="#"><u>BACR15GF</u></a>	Rivet, 100 Degree Precision Shear Head	M	
<a href="#"><u>BACS12ER</u></a>	Screw, 100 Deg Head, Cross Recess, Full Threaded, 6AL-4V Titanium	AU	
<a href="#"><u>BACS12GU</u></a>	Screw, Hex Head With Cross Recess, Titanium, 160 KSI	R	
<a href="#"><u>BACS40R</u></a>	Shim, Laminated, Aluminum Alloy, Cres and Titanium, Surface Bonded	AM	
<a href="#"><u>BACS53B</u></a>	Stud, Ground, Electrical (35 Ampere)	R	
<a href="#"><u>BACW10BP</u></a>	Washer, Plain and Countersunk, (Nominal, .0156 and .0312 Oversize) Alloy Steel and Cres	AH	
<a href="#"><u>BACW10E</u></a>	Washer, Internal Tooth	NEW	
<a href="#"><u>BACW10EC</u></a>	Washer, Lock-Spring, Helical	C	
<a href="#"><u>BACW10EU</u></a>	Washer, Lock, Rod End, Extra Strength, High Profile Lug	B	
<a href="#"><u>BACW10P</u></a>	Washer, Flat, Miscellaneous	FP	
<a href="#"><u>BDS-110</u></a>	Dimensioning and Tolerancing (ASME Y14.5-2009)	B	
<a href="#"><u>BMS10-100</u></a>	Flexible Corrosion Inhibiting Coatings	C QPL-A	
<a href="#"><u>BMS10-110</u></a>	Interior Decorative Heat Cured Powder Coating	D QPL REV -	
<a href="#"><u>BMS10-152</u></a>	Protective Clear Coat	NEW QPL - NEW	

<a href="#"><u>BMS10-11</u></a>	Chemical and Solvent Resistant Finish	AD QPL - A	
<a href="#"><u>BMS10-20</u></a>	Corrosion Resistant Finish for Integral Fuel Tanks	P QPL - ORG	
<a href="#"><u>BMS10-26</u></a>	Plastic Film For Markers	Y QPL-NEW	
<a href="#"><u>BMS10-60</u></a>	Protective Topcoat	AA QPL - C	
<a href="#"><u>BMS10-79</u></a>	Urethane Compativle, Corrosion Resistant Primer	T QPL - ORG	
<a href="#"><u>BMS10-83</u></a>	Interior Decorative Urethane Paint System	R QPL - NEW	
<a href="#"><u>BMS10-85</u></a>	Aluminum Pigmented Coating for Fasteners	W QPL - NEW	
<a href="#"><u>BMS10-86</u></a>	Fluoropolymer Filled Coating	T QPL REV -	
<a href="#"><u>BMS11-7</u></a>	Cleaning Solvent, Pre-Sealing	J QPL REV A	
<a href="#"><u>BMS11-9</u></a>	Methyl Propyl Ketone	G QPL REV NEW	
<a href="#"><u>BMS15-5</u></a>	Absorbent Wipers for Process Cleaning	H	
<a href="#"><u>BMS1-72</u></a>	Silicone Rubber, Fire Retardant, for Aircraft Interiors	G QPL - E	
<a href="#"><u>BMS20-1</u></a>	General Requirements for Aluminum Alloy Extrusions	C	
<a href="#"><u>BMS20-2</u></a>	General Requirements for Aluminum Alloy Sheet and Plate	C	
<a href="#"><u>BMS3-11</u></a>	Hydraulic Fluid, Fire Resistant	P QPL - ORG	
<a href="#"><u>BMS3-3</u></a>	Bonded Solid Film Dry Lubricants	Y	
<a href="#"><u>BMS3-33</u></a>	Grease, Aircraft, General Purpose	C QPL - A	
<a href="#"><u>BMS3-38</u></a>	Corrosion Inhibiting Material, Non-Drying Paste	QPL - ORG	
<a href="#"><u>BMS3-8</u></a>	Solid Film Lubricant, Liquid Dispersed	F QPL - A	

<a href="#"><u>BMS5-105</u></a>	Urethane Adhesive for Bonding	M QPL-ORG	
<a href="#"><u>BMS5-109</u></a>	Room Temperature Curing Two Part Epoxy Adhesives	QPL - C D	
<a href="#"><u>BMS5-126</u></a>	Adhesive: Epoxy Polyamide, 2 Component	QPL - G H	
<a href="#"><u>BMS5-142</u></a>	Low Density Sealant	QPL-A H	
<a href="#"><u>BMS5-45</u></a>	Fuel Tank Sealant	M QPL - A	
<a href="#"><u>BMS5-63</u></a>	Firewall Sealant, Hydraulic Fluid Resistant	N QPL - A	
<a href="#"><u>BMS5-89</u></a>	Corrosion Inhibiting Adhesive Primer	T QPL Rev A	
<a href="#"><u>BMS5-95</u></a>	Pressure and Environmental Sealant-Chromate Type	U QPL To Rev U	
<a href="#"><u>BMS7-122</u></a>	Consumable Electrode Vacuum Arc Remelted 4330 Modified (AMS 6411) Steel	E	
<a href="#"><u>BMS7-186</u></a>	Aluminum Alloy Forgings	M	
<a href="#"><u>BMS7-240</u></a>	15-5PH (UNS S15500) Sheet, Plate, and Strip	J	
<a href="#"><u>BMS7-254</u></a>	Aluminum Alloy Plate, 2324	QPL - B L	
<a href="#"><u>BMS7-28</u></a>	Steel Bars, Rods and Forging Stock (4340)	G	
<a href="#"><u>BMS7-306</u></a>	High Strength, Corrosion Resistant Aluminum Alloy Extrusions, 7150-T7751X	QPL - C K	
<a href="#"><u>BMS7-323</u></a>	High Strength Fatigue Tolerant, Stress Corrosion Resistant 7050 Aluminum Alloy Plate	QPL-G E	
<a href="#"><u>BMS7-353</u></a>	Copper-Beryllium Alloy Bars, Rods, and Mechanical Tubing, 98Cu-1.9Be, (UNS C17200) Solution Treated and Aged	QPL - NEW A	
<a href="#"><u>BMS7-373</u></a>	Copper Nickel Tin Alloy Bar, Extruded Rod and Tube, 77Cu-15Ni-8Sn (UNS 72900)	QPL-C C	
<a href="#"><u>BMS7-380</u></a>	Titanium 6AL-4V and Titanium 6Al-4V Modified - Annealed or Creep Flattened Plate	QPL-A C	
<a href="#"><u>BMS8-317</u></a>	Polyeter Ether Ketone (PEEK) Thermoplastic Injection Molding Resin	QPL - NEW B	

<a href="#"><u>BPS-B-111</u></a>	Bearing, Plain, PTFE Lined, Self-Aligning	F	
<a href="#"><u>BPS-B-79</u></a> <a href="#"><u>BPS-B-79SUP</u></a>	Bearing, Ball - Airframe, Antifriction	J Y	
<a href="#"><u>BPS-B-80</u></a>	Bearing, Roller, Airframe	M	
<a href="#"><u>BPS-B-80SUP</u></a>	Bearing, Roller, Airframe	F	
<a href="#"><u>BPS-F-69</u></a>	Fasteners, Externally Threaded	BK	
<a href="#"><u>BPS-N-70</u></a>	Nut, Self-Locking	AV	
<a href="#"><u>BPS-R-131</u></a>	Rivets, Solid	Y	
<a href="#"><u>BSS7002</u></a>	Storage of Time and Temperature Sensitive (TATS) Materials	AG	
<a href="#"><u>BSS7011</u></a>	Guidelines for the Application of Paint	C	6-1 6-3
<a href="#"><u>BSS7015</u></a>	Dimensional Control of Castings and Forgings	ORG	
<a href="#"><u>BSS7022</u></a>	Procedures and Equipment for Measurement of Fastener Holes	A	6-9
<a href="#"><u>BSS7039</u></a>	Liquid Penetrant Inspection	D	6-4 6-9
<a href="#"><u>BSS7040</u></a>	Magnetic Particle Inspection	C	
<a href="#"><u>BSS7048</u></a>	Eddy Current Inspection, Discontinuities	D	
<a href="#"><u>BSS7055</u></a>	Ultrasonic Inspection, Wrought Products	B	6-4 6-5
<a href="#"><u>BSS7083</u></a>	Torque Procedures and Tools for Fastener Installation	E	
<a href="#"><u>BSS7084</u></a>	Pre-Approved Statistical Sampling Plans	A	
<a href="#"><u>BSS7090</u></a>	Requirements for Abrasive Materials	A	
<a href="#"><u>BSS7096</u></a>	Hole Pattern Accuracy Qualification for CNC Machines in Accordance With BAC5114	ORG	
<a href="#"><u>BSS7100</u></a>	Alternatives Document - Processes, Materials and Parts	R	
<a href="#"><u>BSS7122</u></a>	Method for Determination of Replacements for Canceled External Standards Appearing on Boeing Drawings/Datasets/Product Standards	B	
<a href="#"><u>BSS7217</u></a>	Air Cleanliness, Shop Compressed Air	C	
<a href="#"><u>BSS7219</u></a>	Integrannual Attack, Test Method	E	
<a href="#"><u>BSS7225</u></a>	Adhesion, Tape Test	L	
<a href="#"><u>BSS7230</u></a>	Determination of Flammability Properties of Aircraft Materials	H	
<a href="#"><u>BSS7234</u></a>	Viscosity, Zahn	D	



<a href="#">BSS7235</a>	Adhesion Test Method, Plating	B	
<a href="#">BSS7286</a>	Statistical Process Control of Designated Engineering Characteristics	F	
<a href="#">BSS7325</a>	Gravimetric Method for Determining the Percent Hydration of Sealed Anodic Coatings	B	
<a href="#">BSS7343</a>	Nondestructively Determining Presence of Non-Visible Coating, Test Method Using Resistance Probe	F	
<a href="#">BSS7348</a>	Rate Testing Procedure for Chemical Removal of Metal	A	
<a href="#">BSS7351</a>	Eddy Current Electrical Conductivity - Direct Reading Method	G	
<a href="#">BSS7413</a>	Non-Destructive Thickness Measurement of Non-Conductive Coatings Applied to Ferrous and Non-Ferrous Alloys	A	
<a href="#">BSS7600</a>	Employee Certification, General Requirements	Y	6-16
<a href="#">BSS7604</a>	Sealing Operations, Personnel Certification for	AH	
<a href="#">BSS7617</a>	Electrical Bonding and Grounding, Employee Certification for	T	6-6
<a href="#">BSS7619</a>	Installation of Safetying Devices, Employee Certification For	E	
<a href="#">BSS7646</a>	Hardness Testing of Metals, Personnel Certification for	E	6-2 6-3
<a href="#">BSS7651</a>	Direct Reading Conductivity Inspection, Personnel Certification for	B	6-1
<a href="#">BSS7698</a>	Nondestructive Inspection, Employee Certification For	J	
<a href="#">D1-8007</a>	User Guide for Statistical Sampling Plans	H	
<a href="#">D2-5000</a>	Protective Finish Codes	CH	
<a href="#">D33200-1</a>	Boeing Supplier's Tooling	AT	
<a href="#">D36001-1</a>	Bar Code Standards	M	
<a href="#">D37512-3</a>	Advance Ship Notice Label	P	
<a href="#">D37520-1</a>	Supplier's Part Protection Guide - Introduction	R	
<a href="#">D37520-4</a>	Part Preservation and Protection Standards	M	
<a href="#">D37522-1</a>	Introduction to Material Handling, Product Packaging, Storage, and Shipping Support	L	
<a href="#">D37522-2</a>	Program Requirements	J	

<a href="#">D37522-5</a>	Preparation for Shipment	N	
<a href="#">D37522-5-1</a>	Wood Packaging Material Compliance	A	
<a href="#">D37522-5-2</a>	Packaging Best Practices	ORG	
<a href="#">D37522-6</a>	Supplier Packaging	AE	
<a href="#">D37522-6-2</a>	787 Packaging Requirements	ORG	
<a href="#">D37522-6-4</a>	777X Packaging Requirements	ORG	
<a href="#">D6-10970</a>	Cast Surface Roughness Comparator	D	
<a href="#">D6-1276</a>	Control of Materials and Processes for Designated Parts and	V	
<a href="#">D6-17775</a>	Repair Procedures for Finishes and Coatings	H	
<a href="#">D6-5000</a>	Special Commercial Airplane Company Finish Codes	BP	
<a href="#">D6-51991</a>	Quality Assurance Standard for Digital Product Definition and Boeing Suppliers	N	
<a href="#">D6-56199</a>	Hardware and Software Compatibility Requirements for Suppliers Use of BCA Catia Native Datasets as Authority for Design, Manufacturing and Inspection	AD	
<a href="#">D6-81491</a>	Usage of Catia Native, Catia IGES and PDM Step Datasets	F	
<a href="#">D6-85622</a>	Foreign Object Debris/Foreign Object Damage (FOD) Prevention Requirements for Boeing Suppliers	New	
<a href="#">D6-85748</a>	Aerospace Operator Self-Verification Programs	New	
<a href="#">D6-86587</a>	Customer Sensitive and Aesthetic Acceptance Criteria	G	
<a href="#">M0000204</a>	STAINLESS STEEL WIRE	C	
<a href="#">M0000332</a>	COPPER ALLOY, BAR	D	
<a href="#">M0000454</a>	ALUMINUM ALLOY, BAR	E	
<a href="#">M0000462</a>	ALUMINUM ALLOY, FORGING	D	
<a href="#">M0000605</a>	ALUMINUM ALLOY PLATE	G	
<a href="#">M0000675</a>	ALLOY STEEL BAR	B	
<a href="#">M0001067</a>	STAINLESS STEEL BAR	B	
<a href="#">M0001277</a>	ALUMINUM ALLOY, PLATE	F	
<a href="#">M0001383</a>	STAINLESS STEEL ROUND BAR	B	
<a href="#">M0001542</a>	ALUMINUM ALLOY EXTRUDED SHAPE	C	
<a href="#">M0001588</a>	ALUMINUM ALLOY PLATE	C	
<a href="#">M0001808</a>	ALUMINUM ALLOY CASTING	C	
<a href="#">M0002731</a>	ALUMINUM ALLOY LAMINATED SHIM	C	

<a href="#">M0003153</a>	ALUMINUM ALLOY, HINGE HALF	B	
<a href="#">M0003398</a>	STAINLESS STEEL, BAR	C	
<a href="#">M0003407</a>	ALUMINUM ALLOY PLATE	B	
<a href="#">M0004205</a>	ALUMINUM ALLOY EXTRUDED SHAPE	B	
<a href="#">M0004360</a>	TITANIUM ALLOY SHEET	B	
<a href="#">M0004378</a>	ALUMINUM ALLOY EXTRUDED SHAPE	A	
<a href="#">M0004475</a>	ALUMINUM ALLOY EXTRUDED SHAPE	B	
<a href="#">M0004737</a>	TITANIUM ALLOY SHEET	C	
<a href="#">M0004758</a>	ALUMINUM ALLOY PLATE	A	
<a href="#">M0004792</a>	ALUMINUM ALLOY EXTRUDED SHAPE	A	
<a href="#">M0004881</a>	TITANIUM ALLOY, PLATE	D	
<a href="#">M0005001</a>	ALUMINUM ALLOY, PLATE	D	
<a href="#">M0005002</a>	ALUMINUM ALLOY PLATE	A	
<a href="#">M0005034</a>	COPPER ALLOY ROD	A	
<a href="#">M0005681</a>	ALUMINUM ALLOY EXTRUDED SHAPE	A	
<a href="#">M0007044</a>	ALUMINUM ALLOY EXTRUDED SHAPE	B	
<a href="#">M0007735</a>	ALUMINUM ALLOY EXTRUDED SHAPE	B	
<a href="#">M0008078</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	B	
<a href="#">M0008876</a>	ALUMINUM ALLOY BARE SHEET	B	
<a href="#">M0009290</a>	ALUMINUM ALLOY EXTRUDED SHAPE	A	
<a href="#">M0009844</a>	COPPER ALLOY, ROD	C	
<a href="#">M0013456</a>	ALUMINUM ALLOY PLATE	B	
<a href="#">M0013457</a>	ALUMINUM ALLOY PLATE	B	
<a href="#">M0013798</a>	COPPER ALLOY ROD	B	
<a href="#">M0017568</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	C	
<a href="#">M0017771</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	B	
<a href="#">M0022136</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	C	
<a href="#">M0022476</a>	ALUMINUM ALLOY EXTRUDED SHAPE	A	
<a href="#">MA006W</a>	ALUMINUM ALLOY, PLATE	E	
<a href="#">MA194M075</a>	ALUMINUM ALLOY PLATE	F	
<a href="#">MA324D948E</a>	STAINLESS STEEL SHEET	F	
<a href="#">MA435X8-1</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	E	
<a href="#">MA846W337</a>	ALLOY STEEL, BAR	F	
<a href="#">MA912D0</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	E	
<a href="#">MC029T</a>	STAINLESS STEEL, HEXAGONAL BAR	D	
<a href="#">MC475K</a>	ALUMINUM ALLOY BARE SHEET	H	
<a href="#">MC509M</a>	TITANIUM ALLOY BAR	K	
<a href="#">MC594R</a>	ALUMINUM ALLOY, BARE SHEET	C	

<a href="#">MC912E02</a>	ALUMINUM ALLOY EXTRUDED SHAPE	C	
<a href="#">MD172K785N</a>	ALUMINUM ALLOY PLATE	G	
<a href="#">ME098W</a>	STAINLESS STEEL SHEET	F	
<a href="#">ME665E</a>	STAINLESS STEEL BAR	D	
<a href="#">ME872W</a>	ALUMINUM ALLOY, EXTRUDED SHAPE	E	
<a href="#">MF070K0</a>	STAINLESS STEEL PLATE	H	
<a href="#">MF393C</a>	ALUMINUM ALLOY PLATE	F	
<a href="#">MF430X145</a>	ALUMINUM ALLOY, HAND FORGING	F	
<a href="#">MF478E</a>	ALUMINUM ALLOY, HEXAGONAL BAR	F	
<a href="#">MF531D768</a>	ALUMINUM ALLOY BAR	E	
<a href="#">MF731F</a>	ALUMINUM ALLOY PLATE	E	
<a href="#">MH231F130E</a>	STAINLESS STEEL BAR	K	
<a href="#">MH457K000A</a>	BMS 7-306 7150 T77511 EXTRUDED BAR	D	
<a href="#">MH507F93</a>	ALUMINUM ALLOY PLATE	E	
<a href="#">MH522N826W</a>	ALUMINUM ALLOY EXTRUDED BAR	F	
<a href="#">MH754P</a>	STAINLESS STEEL BAR	J	
<a href="#">MK198L</a>	COPPER ALLOY, ROUND BAR	F	
<a href="#">MK508F94</a>	ALUMINUM ALLOY PLATE	E	
<a href="#">MK519N903</a>	ALUMINUM ALLOY PLATE	E	
<a href="#">ML139R</a>	ALLOY STEEL, BAR	D	
<a href="#">ML177K393M</a>	ALUMINUM ALLOY PLATE	G	
<a href="#">ML283A</a>	ALUMINUM ALLOY BAR	G	
<a href="#">ML309E</a>	STAINLESS STEEL BAR	F	
<a href="#">ML609A</a>	ALUMINUM ALLOY, CLAD SHEET	J	
<a href="#">ML661V</a>	ALUMINUM ALLOY EXTRUDED BAR	F	
<a href="#">ML680T651</a>	ALUMINUM ALLOY, HANF FORGING	G	
<a href="#">MM729H</a>	ALUMINUM ALLOY, ROUND BAR	C	
<a href="#">MMS149</a>	Aluminum Alloy 2124 Plate (A Modification of AMS-QQ-A-250/29)	M Addend 1 Rev L	
<a href="#">MMS332</a>	Hight Temperature Resistant Fuel Tank Filleting and Fay Surface Sealant	V Addend 1 Rev L	
<a href="#">MMS423</a>	Low V.O.C. - Low Density Epoxy Primer	D Addend 1 Rev K	
<a href="#">MMS1420</a>	Aluminum Alloy Plate, 7050-T7451	G Addend 1 Rev R	

<a href="#">MN103A</a>	ALUMINUM ALLOY PLATE	J	
<a href="#">MN320H238</a>	ALUMINUM ALLOY PLATE	G	
<a href="#">MN430H338</a>	ALUMINUM ALLOY PLATE	F	
<a href="#">MN983W</a>	ALUMINUM ALLOY PLATE	E	
<a href="#">MP260T</a>	ALUMINUM ALLOY BARE SHEET	M	
<a href="#">MP524X</a>	ALUMINUM ALLOY BARE SHEET	H	
<a href="#">MP929A</a>	ALUMINUM ALLOY, BAR	E	
<a href="#">MP971L</a>	ALUMINUM ALLOY, TUBING	E	
<a href="#">MR227K</a>	ALUMINUM ALLOY EXTRUDED SHAPE	C	
<a href="#">MT051D</a>	STAINLESS STEEL SHEET	F	
<a href="#">MT908P</a>	ALUMINUM ALLOY PLATE	D	
<a href="#">MV248W</a>	ALUMINUM ALLOY, BAR	E	
<a href="#">MV412H</a>	STAINLESS STEEL BAR	D	
<a href="#">MW100H</a>	ALUMINUM ALLOY BARE SHEET	E	
<a href="#">MX010W718</a>	ALLOY STEEL, FORGED BLOCK	D	
<a href="#">MX081P</a>	ALUMINUM ALLOY EXTRUDED BAR	F	
<a href="#">MX211F</a>	ALUMINUM ALLOY, CLAD SHEET	L	
<a href="#">MX627P</a>	QQ-A-225/9 7075 T73 ROD	E	
<a href="#">MX832C</a>	ALUMINUM ALLOY PLATE	D	
<a href="#">MX916X894D</a>	ALUMINUM ALLOY PLATE	F	
<a href="#">MX922E</a>	ALUMINUM ALLOY PLATE	D	
<a href="#">MY005H</a>	ALUMINUM ALLOY BARE SHEET	H	
<a href="#">MY875M</a>	ALUMINUM ALLOY BARE SHEET	F	
<a href="#">MY942M44</a>	ALUMINUM ALLOY, DIE FORGING	F	
<a href="#">N0000181</a>	SYNTHETIC GREASE	G	
<a href="#">N0000698</a>	FIREWALL SEALANT, KIT	B	
<a href="#">N0000838</a>	NAPHTHA BLEND, SOLVENT	B	
<a href="#">N0001898</a>	FLUOROSILICONE, UNCURED STOCK	B	
<a href="#">N0003099</a>	BMS1-72 MOLDED PART RAW MATERIAL	A	
<a href="#">N0006639</a>	FIREWALL SEALANT, KIT	B	
<a href="#">N0006642</a>	NYLON, ROD	B	
<a href="#">N0038928</a>	ACETAL SHEET	B	
<a href="#">N0039187</a>	MISCELLANEOUS, MOLDED PART	C	
<a href="#">N0039267</a>	SILICONE, SHEET	B	
<a href="#">ND737T</a>	NYLON, ROD	C	
<a href="#">NF990F</a>	POLYSULFIDE, KIT	K	
<a href="#">NM373V</a>	FIREWALL SEALANT, KIT	D	
<a href="#">NP351K</a>	LOW TEMPERATURE GREASE	E	

<a href="#">NT893D19</a>	EPOXY POWDER	E	
<a href="#">NW610R62</a>	POLYTETRAFLUOROETHYLENE TAPE	G	
<a href="#">PS10010</a>	Training and Certification Requirements	K	
<a href="#">PS11217</a>	Sealing Methods, Aircraft	BH	PB1-448 AS REV A
<a href="#">PS11344</a>	Sealing Methods	AJ	
<a href="#">PS12100</a>	Stripping Organic Coatings: Brush or Spray Application	N	
<a href="#">PS12105</a>	Stripping Organic Coatings By Immersion	H	
<a href="#">PS13201</a>	Anodizing, Aluminum Alloys	AN	
<a href="#">PS13204</a>	Conversion Coating, Brush and Spray	AM	
<a href="#">PS13209</a>	Coating, Multicolored Chemical Conversion of Aluminum Alloys By the Immersion Process	W	PB3-890 REV E
<a href="#">PS13517</a>	Painting of Douglas Commercial, C-17, T-38 and T-45 Aircraft	AA	
<a href="#">PS13525</a>	Polyurethane Corrosion Resistant Coating; Spray Application of	AG	MQ-25 REV -
<a href="#">PS13630</a>	Painting of F/A-18 and AV-8 Aircraft	AH	
<a href="#">PS13630.1</a>	Painting at Detail and Assembly Level	AJ	
<a href="#">PS13630.3</a>	Rework of Painted Surfaces	J	
<a href="#">PS13646</a>	Painting of F-15 Aircraft	AP	
<a href="#">PS16001</a>	Marking of Fabricated Parts	CE	
<a href="#">PS17031</a>	Bearings/Bushings, Grooved Outer Race; Staking of	AA	
<a href="#">PS17034</a>	Bushings, Installation of	L	
<a href="#">PS17100</a>	Wiring, Electrical, Aircraft, Fabrication and Installation of	BC	
<a href="#">PS17169</a>	Bonding and Grounding; Electrical	AP	
<a href="#">PS19000</a>	Installation of Fasteners	AB	
<a href="#">PS19110</a>	Fasteners, Solid Rivets; Installation of	W	
<a href="#">PS19121</a>	Fasteners, Locked Spindle Blind Rivets; Installation of	AA	
<a href="#">PS19145</a>	Installation of Hi-Lok Fasteners	AF	PB9-343 REV NEW

<a href="#"><u>PS19402</u></a>	Hole Preparation - Feeds and Speeds	AR	PB9-342 REV A
<a href="#"><u>PS20001</u></a>	Protection of Parts During Fabrication and Temporary Storage	AC	
<a href="#"><u>PS20004</u></a>	Rework of Scratched, Abraded or Corroded Surfaces	L	
<a href="#"><u>PS20009</u></a>	Metallic Materials and Parts; Straightening of	J	
<a href="#"><u>PS20016</u></a>	Barrel Tumbling and Vibratory Finishing	D	
<a href="#"><u>PS20018</u></a>	Surface Finish Requirements for Round Holes	F	
<a href="#"><u>PS20024</u></a>	Deburring, Blending, and Sanding of Metal Parts	R	
<a href="#"><u>PS20722</u></a>	Hole Masking for Enhanced Process Controlled Metallic Parts	D QPL REV E	
<a href="#"><u>PS21202</u></a>	Penetrant Inspection	AU	
<a href="#"><u>PS23038</u></a>	Authority for Material Substitution	V	MQ-25 REV -
<a href="#"><u>PS23041</u></a>	Machined Parts, Requirements and Acceptance Criteria For	W	F-15_MQ-25_SLS REV -